


HEWLETT-PACKARD COMPANY
Intellectual Property Administration
P. O. Box 272400
Fort Collins, Colorado 80527-2400

PATENT APPLICATION

ATTORNEY DOCKET NO. 200314056-1



IN THE
UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s): Sze-Moey Voon, et al.

Confirmation No.: 8851

Application No.: 10/800,235

Examiner: Hung S. Bui

Filing Date: 03/12/04

Group Art Unit: 2841

Title: HOUSING HAVING A CABLE CONDUIT AND RELATED SYSTEMS AND METHODS

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

PETITION FOR EXTENSION OF TIME

Sir:

In an Office Action mailed on 07/26/05, on the above-identified U.S. Patent application, a shortened statutory period of 3 months was set for response. In accordance with 37 C.F.R. 1.136(a), applicant(s) hereby request(s) a:

- ☒ one month
- ☐ two months
- ☐ three months
- ☐ four months

time extension so that the period for response to the Office Action expires on 11/26/05 - Sat.. Authorization to charge the fee required by 37 CFR 1.17 to Deposit Account 08-2025 appears in the enclosed transmittal letter. At any time during the pendency of this application, please charge any fees required or credit any over payment to Deposit Account 08-2025 pursuant to 37 CFR 1.25. Additionally please charge any fees to Deposit Account 08-2025 under 37 CFR 1.16 through 1.21 inclusive, and any other sections in Title 37 of the Code of Federal Regulations that may regulate fees. A duplicate copy of this sheet is enclosed.

I hereby certify that this correspondence is being deposited with the United States Postal Service as :

- ☒ First Class Mail
- ☐ "Express Mail Post Office to Addressee" service under 37 CFR 1.10.

"Express Mail" label no.

in an envelope addressed to: Commissioner for Patents, Alexandria, VA 22313-1450.

Date of Deposit: 11/28/05

Typed Name: Kelly Pedersen

Signature: Kelly Pedersen

Respectfully submitted,

Sze-Moey Voon, et al.

By Bryan A. Santarelli

Attorney/Agent for Applicant(s)
Reg. No. 37,560

Date: 11/28/05

Telephone No.: (425) 455-5575